


Non-stop production

Fast and efficient | High-Automation | Multifunction | Simple operation

High Performance Automatic Folding Gluing Machine & Inspection
Efficient and reliable continuous production of high quality products

SETUP

- 4 line prefolding
- Crash-lock module
- Quick switch boxes



GLUING | FOLDING

Vesta- 90 | 110 | 130


 **SimSun**

Venus/Vesta

High Performance Automatic Folding Gluing Machine

Fast and efficient Multifunction

Dimension



1		
Vesta-90	1	2.5m
	2	14.65m
	3	1.64m
2		
Vesta-110	1	2.5m
	2	15.8m
	3	1.84m
3		
Vesta-130	1	2.5m
	2	16.2m
	3	2.04m

Most comprehensive Products

Products packaging apply

Most efficient Features

- Feeder
- Alignment
- Prefolding module
- Crash-lock module
- Lower Gluing module
- Folding Station
- Transfer station
- Compression section
- collection section

The highest quality Setup

- Technical-overall arrangement
- Technical-Setup
- Technical-information
- Specifications
- Related Products

Our Service

After-sale
service & Maintenance


Page 12/24

The data is not binding.
The pictures are for reference only.
The manufacturer reserves the right
to do so without notice. The right to
make modifications.


Technical Information

Vesta-90 | 110 | 130


Straight line box	Min./mm	Max./mm
C	140	900/1100/1300
E	60	700
L	65	445/545/645




Lock-bottom box	Min./mm	Max./mm
C	200	850/1050/1250
E	60	700
L	95	420/520/620




4-corner box	Min./mm	Max./mm
C	140	800/1000/1200
E	140	700
H	20	150



4-corner box	Min./mm	Max./mm
C	250	800/1000/1200
E	140	700
H	20	150



6-corner box	Min./mm	Max./mm
C	270	800/1000/1200
E	140	700
H	20	150



Materials

Vesta-90 | 110 | 130

Cardborad&Carton, Max.	200-800g/m ²
Corrugated flute type	N1F1E
Thickness, Min.	15mm
Drive system	m/min
Inching speed, Min to	15m/min
Operating speed, Max to	300m/min

Venus/Vesta

High Performance Automatic Folding Gluing Machine

Most comprehensive Products

Products packaging apply

Most efficient Features

Feeder
Alignment
Prefolding module
Crash-lock module
Lower Gluing module
Folding Station
Transfer station
Compression section
collection section

The highest quality Setup

Technical-overall arrangement
Technical-Setup
Technical-information
Specifications
Related Products

Our Service

After-sale
service& Maintenance

Page 17/24

The data is not binding.
The pictures are for reference only.
The manufacturer reserves the right
to do so without noticeThe right to
make modifications.